

High Voltage Switchgear

High Performance High Voltage Metal-Clad Switchgear



Powering the Future with Precision and Control

EDMP's metal-clad switchgear is a high-performance indoor solution for three-phase AC 50Hz power systems up to 40.5kV. Designed for substations in power plants, industrial sites, rail transit systems, and high-rise buildings, it supports single bus and sectionalized configurations, ensuring reliable power reception, distribution, and system protection with integrated control and monitoring functions.

Compatible with ABB's VD4 series and ZN40.5-85 indoor vacuum circuit breakers, EDMP's switchgear offers compact design, easy maintenance, and exceptional mechanical and electrical performance. Built for flexibility and long-term reliability, it is a trusted solution for demanding medium-voltage applications.



Energy Storage



Features & Functions

Rated Voltage	• 40.5kV
Rated Current	• 630A, 1250A, 1600A, 2000A, 3150A
Rated Frequency	• 50Hz
Rated Insultation Level	1-Munite Power Frequency Withstand Voltage • 50Hz
	Lightning Impulse Withstand Voltage • 118kV
	1-Munite Power Frequency Withstand Voltage (Circuit Breaker) • 185kV
	Lightning Impulse Withstand Voltage (Circuit Breaker) • 215kV
Rated Short-Circuit Breaking Current	• 25kA / 31.5kA / 40kA
Rated Short-Time Withstand Current	• 25kA / 31.5kA / 40kA
Rated Peak Withstand Current	• 50kA / 63kA / 80kA
Rated Short-Circuit Making Current	• 50kA / 63kA / 80kA
Duration of Rated Short-Time Withstand Current	• 4s
Rated Operating Sequence	• O-0.3s-CO-180s-CO
Degree of Protection	• IP4X
External Dimensions (Depth x Width x Height)	• 1400/1680 x 2800/3200 x 2600
Weight	• 1000kg
High Voltage Switchgear	• Copyright

Operating Conditions

Item	Specification
Ambient Temperature	-10°C ~ +45°C
Max Daily Temperature Variation	Monthly average relative humidity: ≤%90; Daily average relative humidity: ≤%95
Seismic Intensity	≤ Level 8
Pollution Level	Level III
Control and Operating Voltage	DC Power Supply: DC 220V AC Power Supply: AC 220V ±%10 (60/50Hz) (Total harmonic distortion ≤ %5)

EDMP

PO Box 125428, Plot No. MO0147C, Junction of N400 & N406 Streets,
Jebel Ali Free Zone, Dubai, United Arab Emirates
✉ info@edmpco.com 🌐 www.edmpco.com

Copyright © 2026 EDMP Limited. All Rights Reserved. All trademarks are the property of their respective holders. EDMP's Policy is one of continuous product development and the right is reserved to modify specifications contained herein without notice.